

### **Amendments to the Claims**

This listing of claims will replace all prior versions and listings of claims in the subject application.

#### **Listing of Claims:**

1. (Currently Amended) A method comprising:  
determining whether a property management device is connected to a communications port of a messaging system;  
receiving a data packet at the communications port;  
determining a communications parameter set for the received packet;  
analyzing the received packet data structure;  
comparing the received packet data structure with a data structure for a known property management device; and  
~~if the data structure of the packet matches the data structure for the known property management device~~ determining if the property management device coupled to the communications port ~~to be~~ is a known property management device.
2. (Previously Presented) The method of claim 1, wherein determining whether a property management device is connected comprises checking for data received at the communications port.
3. (Previously Presented) The method of claim 1, wherein determining whether a property management device is connected comprises sending a signal through the communications port and checking for a response.
4. (Previously Presented) The method of claim 3, wherein the sent signal comprises a startup packet structured according to a startup protocol of a known property management device and wherein checking for a response comprises checking for an expected acknowledgment signal in accordance with the startup protocol of the known property management device.

- 
5. (Previously Presented) The method of claim 1, wherein determining a communications parameter set comprises applying a variety of baud rate and parity setting to the packet and selecting a baud rate and parity combination that is consistent with the packet.
6. (Previously Presented) The method of claim 1, wherein analyzing the received data structure comprises determining the value of data in a selected position in the packet.
7. (Previously Presented) The method of claim 6, wherein determining the value of data comprises determining the value of a byte in a first position of the packet and wherein comparing comprises comparing the value of the byte in position 1 to possible values for known property management devices.
8. (Previously Presented) The method of claim 7, further comprising determining the value of a byte in a second selected position and wherein comparing comprises comparing the value of the bytes in the first and the second selected position to possible combinations of values for known property management devices.
9. (Previously Presented) The method of claim 7, wherein comparing comprises comparing the value of the byte and the determined communications parameter set to possible combinations of values for known property management devices.
10. (Previously Presented) The method of claim 1, wherein comparing comprises applying a series of conditional branch instructions to determine a matching known property management device.
11. (Currently Amended) A method comprising:
- selecting a set of communications parameters for a communications port of a messaging system;
  - sending a startup packet to the communications port using the selected parameters
  - checking for a response to the startup packet from the communications port;

if no response is received, selecting a different set of communications parameters and sending a startup packet using the different set of communications ~~parameters~~ parameters; ;

if no response is received, repeating selecting a different set and sending a startup packet using the different set; receiving a data packet at the communications port; determining the set;

receiving a data packet at the communications port;

determining the set of communications parameters for the received packet;

applying a series of conditional tests to the data of the received packet to compare the received packet data structure with data structures for known property management devices; and

~~if the data structure of the packet matches that for a known property management device~~  
determining if a device coupled to the communications port ~~to be~~ is ~~the matching~~ a known property management device.

12. (Previously Presented) The method of claim 11 wherein selecting a set of communications parameters comprises selecting parameters from a list of parameters for property management devices that may be coupled to the communications port.

13. (Previously Presented) The method of claim 11 wherein applying a series of conditional tests comprises comparing a combination of communications parameter settings and data packet byte values to combinations for known property management devices.

14. (Currently Amended) A machine-readable medium having stored thereon data representing instructions which, when executed by a machine, cause the machine to perform operations comprising:

determining whether a property management device is connected to a communications port of a messaging system;

receiving a data packet at the communications port;

determining a communications parameter set for the received packet;

analyzing the received packet data structure;

comparing the received packet data structure with a data structure for a known property management device; and

~~if the data structure of the packet matches that for the known property management device~~ determining if the property management device coupled to the communications port ~~to be~~ is a known property management device.

15. (Previously Presented) The medium of claim 14, wherein the instructions for determining whether a property management device is connected comprise instructions which, when executed by the machine, cause the machine to perform further operations comprising checking for data received at the communications port.

16. (Previously Presented) The medium of claim 14, wherein the instructions for determining whether a device is connected comprise instructions which, when executed by the machine, cause the machine to perform further operations comprising sending a startup packet structured according to a startup protocol of a known property management device through the communications port and checking for an expected acknowledgment signal in accordance with the startup protocol of the known property management device.

17. (Previously Presented) The medium of claim 14, wherein the instructions for analyzing the received data structure comprise instructions which, when executed by the machine, cause the machine to perform further operations comprising determining the value of data in a selected position in the packet.

18. (Previously Presented) The medium of claim 14, wherein the instructions for comparing comprise instructions which, when executed by the machine, cause the machine to perform further operations comprising applying a series of conditional branch instructions to determine a matching known property management device.

19. (Currently Amended) An apparatus comprising:  
a communications port of a messaging system for sending and receiving packets between the messaging system and a connected property management device;  
means for determining a communications parameter set for a packet received from a property management device connected to the communications port;

means for analyzing the received packet data structure;  
means for comparing the received packet data structure with a data structure for a known device; and  
means for determining if the device coupled to the communications port ~~to be~~ is a known property management device by determining if the data structure of the packet matches that for the known property management device.

20. (Previously Presented) The apparatus of claim 19, wherein the means for determining whether a property management device is connected comprises means for checking for data received at the communications port.

21. (Previously Presented) The apparatus of claim 19, wherein the means for determining whether a property management device is connected comprises means for sending a signal through the communications port and means for checking for a response.

22. (Previously Presented) The apparatus of claim 19, wherein the means for determining a communications parameter set comprises means for applying a variety of baud rate and parity setting to the packet and selecting a baud rate and parity combination that is consistent with the packet.

23. (Previously Presented) The apparatus of claim 19, wherein the means for comparing comprises a series of conditional branch instructions for determining a matching known property management device.

24. (Previously Presented) The apparatus of claim 19 wherein the messaging system is a voice mail system.

25. (Previously Presented) A messaging system comprising:  
a communications port for sending and receiving packets between the messaging system and a connected property management device;  
a memory to store a set of data structures of known property management devices; and

a processor coupled to the port and the memory to analyze the data structure of a packet received at the communications port from a device connected to the communications port, to compare the received packet data structure with the stored known data structures, and to determine that the property management device coupled to the communications port is a known property management device if the data structure of the received packet matches the data structure for the known property management device.

26. (Previously Presented) The system of claim 25, wherein the memory further stores communications parameter sets and wherein the processor applies a variety of baud rate and parity setting to the packet to select a baud rate and parity combination that is consistent with the packet.

27. (Previously Presented) The system of claim 26, wherein the processor compares the value of a byte and the selected baud rate and parity combination to stored combinations of values for known property management devices.

28. (Previously Presented) The system of claim 25, wherein the processor executes a series of conditional branch instructions for determining a matching known property management device.